

Art 240

MANICOTTI RIDOTTI F.F.SOCKETS FEMALE FEMALE
Filettature-Threads UNI ISO 228

dimension	galv.steel	brass	chr.brass	pcs 1 box
1/4 "x 1/8 "	0,3409			250
3/8" x 1/8"	0,3409			250
3/8" x 1/4"	0,2556			250
1/2" x 1/8"	0,3977			250
1/2" x 1/4"	0,3615			250
1/2" x 3/8"	0,2841	0,6714	0,8212	250
3/4" x 1/4"	0,5113			150
3/4" x 3/8"	0,4906			150
3/4" x 1/2 "	0,4080	1,2395	1,4564	150
1" x 3/8"	0,8780			100
1" x 1/2"	0,8418			100
1" x 3/4"	0,7953	1,7714	2,3395	100
1 1/4" x 1"	2,6133	3,1504	3,5840	50

Art 241

RIDUZIONE ESAGONALE M.F.

BUSHING REDUCING M.F.

Filettature-Threads UNI ISO 228



dimension	galv.steel	brass	chr.brass	pcs 1 box
1/4 "x 1/8 "	0,1756	0,2221	0,2892	250
3/8" x 1/8"	0,2169	0,3150	0,4028	250
3/8" x 1/4"	0,1756	0,2169	0,2995	250
1/2" x 1/8"	0,2944			250
1/2" x 1/4"	0,2066	0,3615	0,4287	250
1/2" x 3/8"	0,1963	0,2892	0,3822	250
3/4" x 1/8"	0,4080			250
3/4" x 1/4"	0,3047			250
3/4" x 3/8"	0,2995	0,4028	0,5629	250
3/4" x 1/2 "	0,2892	0,3460	0,5010	250
1" x 1/4"	0,5836			100
1" x 3/8"	0,5784	1,8283	1,9315	100
1" x 1/2"	0,5784	1,5959	1,7043	100
1" x 3/4"	0,5784	1,4048	1,5081	100
1" 1/4" x 1/4 "	1,2498			50
1" 1/4" x 3/8"	1,2498			50
1" 1/4" x 1/2"	1,2498			50
1" 1/4" x 3/4"	1,2292	2,2672	2,3964	50
1" 1/4" x 1"	1,2292	1,8799	2,0090	50
1" 1/2" x 1/4				50
1" 1/2" x 3/8				50
1" 1/2" x 1/2	1,7560			50
1" 1/2" x 3/4	1,7560	3,7598	3,9457	50
1" 1/2" x 1"	1,7560	3,3570	3,5067	50
1" 1/2" x 1" 1/4"	1,7560	2,3705	2,4997	50
2" x 3/8"				50
2" x 1/2"	2,5306			50
2" x 3/4"	2,5306			50
2" x 1"	2,5306	4,6068	4,7824	50
2" x 1" 1/4	2,4790	4,3486	4,5190	50
2" x 1" 1/2	2,4790	4,1317	4,2814	50

Galvanized steel & Brass Fittings

Art 245

VITI DOPPIE RIDOTTE M.M.

NIPPLES REDUCED M.M.

Filettature-Threads UNI ISO 228



dimension	ZINCATO galv.steel	GIALLO brass	CROMATO chr.brass	pcs 1 box
1/4 "x 1/8 "	0,2841	0,3099	0,3460	250
3/8" x 1/8"	0,3770			250
3/8" x 1/4"	0,2272	0,4545	0,5474	250
1/2" x 1/8"	0,4545			250
1/2" x 1/4"	0,3460	0,3873	0,4906	250
1/2" x 3/8"	0,2841	0,3873	0,4906	250
3/4" x 1/8"	0,6611			150
3/4" x 1/4"	0,5423			150
3/4" x 3/8"	0,5113	0,6714		150
3/4" x 1/2 "	0,4183	0,6197	0,7024	150
1" x 1/4"	0,9296			100
1" x 3/8"	0,9296			100
1" x 1/2"	0,8625	1,2395	1,3634	100
1" x 3/4"	0,7489	1,3634	1,4874	100
1" 1/4" x 1/4 "	1,7560			50
1" 1/4" x 3/8"	1,7560			50
1" 1/4" x 1/2"	1,7560			50
1" 1/4" x 3/4"	1,7560	2,4377	2,5720	50
1" 1/4" x 1"	1,7560	2,4997	2,6339	50
1" 1/2" x 1/2	2,2982			50
1" 1/2" x 3/4	2,2982	3,8889	4,0645	50
1" 1/2" x 1"	2,2982	3,8889	4,0645	50
1" 1/2" x 1" 1/4"	2,2982	3,9767	4,1523	50
2" x 3/8"	3,6668			25
2" x 1/2"	3,6668			25
2" x 3/4"	3,6668			25
2" x 1"	3,5636			25
2" x 1" 1/4	3,5636			25
2" x 1" 1/2	3,4603	6,7656	9,0896	25

Art 246

PROLUNGA RIDOTTA F.M.

REDUCED EXTENTION F.M.

Filettature-Threads UNI ISO 228



dimension	ZINCATO galv.steel	GIALLO brass	CROMATO chr.brass	pcs 1 box
1/4 "x 1/8 "	0,4132	0,2892	0,3770	250
3/8" x 1/8"	0,4287			250
3/8" x 1/4"	0,2531	0,3925	0,4751	250
1/2" x 1/8"	0,2479			250
1/2" x 1/4"	0,2582	0,3460	0,4132	250
1/2" x 3/8"x 10	0,2221			250
1/2" x 3/8"X 15	0,2195	0,3460	0,4390	250
3/4" x 3/8"	0,5320	0,7489	0,9296	200
3/4" x 1/2 "	0,3615	0,5423	0,6714	200
1" x 3/8"	0,9554			100
1" x 1/2"	0,9090	1,0794	1,3428	100
1" x 3/4"	0,7230	1,0794	1,3428	100
1 1/4" x 1"	2,0658			50

Galvanized steel & Brass Fittings

Art 246-S

PROLUNGA RID. SAGOMATA mf
OCTAGONAL REDUCED EXTENTION F.M.
Filettature-Threads UNI ISO 228



dimension	ZINCATO		pcs 1 box
	galv.steel		
1/4 "x 1/8 "	0,4338		250
3/8" x 1/8"	0,4545		250
3/8" x 1/4"	0,2686		250
1/2" x 1/8"			250
1/2" x 1/4"	0,3977		250
1/2" x 3/8" X 15	0,2169		250
3/4" x 3/8"			200
3/4" x 1/2 "	0,4390		200
1" x 3/8"			100
1" x 1/2"	0,9296		100
1" x 3/4"	0,7230		100
1 1/4" x 1"	2,0658		50

Art 246 -sif

PROLUNGA RID X SIFONI OTTONE
CHROMED BRASS REDUCERS FOR FLASK



dimension	MISURE	OTTONE	CONF.PZ
		CROMATO	pcs 1 box
1"1/4 X 1 "		chr.brass	1,4977
1"1/4 X 1" 1/2"		chr.brass	1,6527

Art 270

FEMALE SOCKETS

Din 2986/UNI 228-
mat: Tubo ST.37.0/E.24



dimension	O est	H.mm	black	galv.steel	brass	chr.brass	pcs 1 box
1/8 "	14	17	0,1859	0,2117			250
1/4"	18,5	25	0,1859	0,2117	0,6404	0,8108	200
3/8"	21,3	26	0,2014	0,2143	0,6404	0,8160	200
1/2"	25-26,5	34	0,2686	0,2944	0,7902	1,0019	150
3/4"	31,9	36	0,3667	0,4028	1,2808	1,6268	100
1"	38-39,5	43	0,4648	0,5061	1,9729	2,3344	50
1"1/4	48,3	48	0,8005	0,8470	2,7889		10
1"1/2	54	48	0,8780	1,1104	3,3053		10
2"	66,3	56	1,3944	1,6527	5,5261		10
2"1/2	82	65	1,8283	2,2208			10
3"	95	71	2,8405	3,4086			8
3"1/2	111	80	6,4041	7,5919			3
4"	122	83	5,3712	7,2820			6
5"	147	92	8,3150	11,2588			4
6"	174	92	14,9256	17,5595			2

other dimension and Threads on demand -

Galvanized steel & Brass Fittings

Art 2 7 1

MEZZI MANICOTTI F.F. FEMALE HALF SOCKETS

mat: Tubo ST.37.0/E.24
Filettature-Threads UNI ISO 228



other dimension and Threads on demand -

Misura dimension	diam Est. Out. Diam	mm Lenght	ACCIAIO		CONF.PZ
			NERO black		pcs 1 box
1/8"	14	8			500
1/4"	18,5	11	0,1808		300
3/8"	21,3	12	0,2014		250
1/2"	25-26,5	17	0,2479		300
3/4"	31,9	20	0,3305		150
1"	38-39	22	0,4803		100
1"1/4	48,3	25	0,6972		50
1"1/2	54	26	1,0587		100
2"	66,3	28	1,2911		50
2"1/2	85	30	2,2208		rich
3"	98	35	2,9438		rich

Art 2 8 0

VITE DOPPIA M.M - NIPPLI MALE NIPPLES

Filettature-Threads UNI ISO 228



dimension	galva steel	brass	chr.brass	pcs 1 box
1/8"	0,2479	0,2582	0,2995	250
1/4"	0,1859	0,2582	0,3512	250
3/8"	0,2066	0,2479	0,3667	250
1/2"	0,2272	0,3615	0,4906	200
3/4"	0,3873	0,5991	0,7953	150
1"	0,7230	1,2395	1,3634	50
1"1/4	1,6010	2,7630	2,9438	50
1"1/2	2,1949	3,9767	4,1317	25
2"	3,6668	6,6623	7,2304	25

Art 2 8 2

VITE DOPPIA FIL. CONICI M.M. fig- 280 uni-iso 5208 uni iso 339

CONICAL THREAD MALE NIPPLES
UNI 229



MISURE		lenght MM H mm	ACCIAIO		CONF.PZ
dimension	esag		ZINCATO galva steel		pcs 1 box
1/8"	12	26	ARTICOLO FUORI PRODUZIONE		250
1/4"	14-17-19	35	0,3409		250
3/8"	19-22	36	0,4390		250
1/2"	22-24	47	0,3718		200
3/4"	30-32	48	0,6197		100
1"	36	62			
1"1/4	46	68	ARTICOLO A RICHIESTA ON DEMAND		
1"1/2	50	70	ARTICOLO A RICHIESTA ON DEMAND		
2"	65	73	ARTICOLO A RICHIESTA ON DEMAND		

Galvanized steel & Brass Fittings

Art 2 9 0

TAPPO MASCHIO CON QUADRO

MALE PLUG with square
CONICAL THREAD UNI 229



MISURE	ACCIAIO	ACCIAIO	CONF.PZ	
dimension	NERO BLACK	ZINCATO Galva steel	pcs 1 box	
1/8"	0,1446	0,2014	FUORI PRODUZIONE	250
1/4"	0,1446	0,1704		250
3/8"	0,1498	0,1859		250
1/2"	0,1782	0,2014		250
3/4"	0,3099	0,3409		150
1"	0,4906	0,5939		100

Art 2 9 2

TAPPO ESAGONALE MASCHIO

MALE EXHAGONAL PLUG



dimension	ZINCATO galva steel	GIALLO brass	CROMATO chr.brass	pcs 1 box
1/8"	0,1911	0,2117	0,2479	250
1/4"	0,1420	0,2376	0,2789	250
3/8"	0,1549	0,2531	0,3099	250
1/2"	0,1782	0,2995	0,3770	250
3/4"	0,2686	0,5010	0,6404	150
1"	0,5165	1,0329	1,1362	100
1"1/4	1,1001	1,8076	1,9109	50
1"1/2	1,4358	2,5823	2,7372	50
2"	2,1743	4,2866	4,3899	25

Filettature-Threads UNI ISO 228

Art 2 9 3

TAPPO ESAGONALE MASCHIO filetto conico uni 229

MALE EXHAGONAL PLUG
CONICAL THREAD UNI 229



MISURE	ACCIAIO	CONF.PZ	
dimension	ZINCATO galva steel	pcs 1 box	
1/8"			250
1/4"		on demand	250
3/8"		on demand	250
1/2"		on demand	250
3/4"		on demand	150
1"		on demand	100

Galvanized steel & Brass Fittings

Art	MISURE		ACCIAIO		CONF.PZ
	dimension	dim ch	ZINCATO galva steel		
Art 596 X TAPPO MASCHIO ESAGONO INCASSATO-- filetto conico Male plug- inside exhagon- Conical Thread fig. 596 - Fil/Thread UNI 229	1/8"	ch5 x h10		on demand	250
	1/4"	ch6x h13		on demand	250
	3/8"	ch8 x h15		on demand	250
	1/2"	ch10x h17			250
	3/4"	ch 14x h18			150
	1"	ch 19xh24			100



Art	dimension	ACCIAIO			pcs 1 box
		galva steel	brass	chr.brass	
Art 300 CALOTTA FEMMINA FEMALE PLUG (CAPS) Filettature-Threads UNI ISO 228	1/8"	0,1808	0,2272	0,2582	250
	1/4"	0,1549	0,2427	0,2841	250
	3/8"	0,1704	0,2634	0,3202	250
	1/2"	0,1963	0,3305	0,3873	250
	3/4"	0,3150	0,5010	0,5733	200
	1"	0,6249	0,7695	0,8676	100
	1"1/4	1,4977	1,6320	1,7043	50
	1"1/2	2,2466	2,3757	2,6339	50
	2"		4,9580	5,1646	25



Art	dimension	ACCIAIO			pcs 1 box
		ZINCATO galva steel	GIALLO brass	CROMATO chr.brass	
Art 310 CONTRODADO- Backnuts Filettature-Threads UNI ISO 228	1/8"-h4	0,1239	0,1498	0,1808	250
	1/4"-h5	0,1291	0,1653	0,1911	250
	3/8"-h6	0,1394	0,1859	0,2221	250
	1/2"-h7	0,1911	0,2531	0,2841	250
	3/4"-h8	0,3202	0,3925	0,4338	250
	1"-h 9	0,4442	0,5113	0,5629	250



Art	dimension	ACCIAIO			pcs 1 box
		ZINCATO galva steel			
Art 312 CONTRODADO SCANALAT BACKNUTS recessed Filettature-Threads UNI ISO 228	1/8"		ON DEMAND		
	1/4"		ON DEMAND		
	3/8"		ON DEMAND		
	1/2"		ON DEMAND		
	3/4"		ON DEMAND		
	1"		ON DEMAND		



Galvanized steel & Brass Fittings

Art 5 2 0

PROLUNGA TONDA M.F.

(TORNITA)

ROUND M,F, EXTENTION

Filettature-Threads UNI ISO 228



FIG. UNI 529/A

Hexagon on hole for galv Steel Model

Dodecagonal hole for brass



dimension	ZINCATO galvan steel	GIALLO brass	CROMATO chr.brass	pcs 1 box
3/8 X 10	0,1601	0,2221	0,2841	250
3/8 X 15	0,1730	0,2531	0,3125	250
3/8 X 20	0,1963	0,2841	0,3460	250
3/8 X 25	0,2737	0,3150	0,3822	250
3/8 X 30	0,2892	0,3667	0,4493	250
3/8 X 35	0,5371			250
3/8 X 40	0,5888	0,4390	0,5165	150
3/8 X 50	0,6301	0,5216	0,6094	150
1/2 X 10	0,1963	0,2995	0,3667	250
1/2 X 15	0,2221	0,3512	0,4287	250
1/2 X 20	0,2479	0,4132	0,4906	200
1/2 X 25	0,3254	0,4648	0,5526	150
1/2 X 30	0,3667	0,5268	0,6197	150
1/2 X 35	0,5474			100
1/2 X 40	0,5165	0,6611	0,7489	100
1/2 X 50	0,6094	0,7644	0,8935	100
3/4 X 10	0,3357	0,4338	0,5474	200
3/4 X 15	0,3615	0,5113	0,6404	200
3/4 X 20	0,4028	0,6043	0,7644	150
3/4 X 25	0,4855	0,7024	0,8883	100
3/4 X 30	0,5629	0,8108	1,0226	100
3/4 X 40	0,9451	0,9709	1,2240	50
3/4 X 50	1,0691	1,1672	1,7508	50
1" X 10	0,6611			100
1" X 15	0,7437			100
1" X 20	0,8470			100
1" X 25	1,0123			50
1" X 30	1,1207			50
1" X 40	1,5081			50
1" X 50	1,6113			50

Art 5 2 0 - S

PROLUNGA M.F. SAGOMATA ACCIAIO ZINCATO

SOCKETS M.F.octagonal model
galvanized steel

Filettature-Threads UNI ISO 228



FIG. UNI 529 /A

MISURE dimension	Acciaio zincato galvan steel	CONF.PZ pcs 1 box
3/8 X 10	0,1704	250
3/8 X 15	0,1782	250
3/8 X 20	0,2040	250
3/8 X 25	0,2789	250
3/8 X 30	0,3176	250
3/8 X 40	0,5939	150
3/8 X 50	0,6766	150
1/2 X 10	0,1627	250
1/2 X 15	0,1782	250
1/2 X 20	0,1988	200
1/2 X 25	0,2737	150
1/2 X 30	0,3099	150
1/2 X 40	0,5888	100
1/2 X 50	0,6817	100
3/4 X 10	0,3667	200
3/4 X 15	0,4183	200
3/4 X 20	0,4700	150
3/4 X 25	0,5371	100
3/4 X 30	0,6146	100

Galvanized steel & Brass Fittings

Art 520 - EX

PROLUNGA PESANTE - M.F.
M.F. HEAVY SOCKET-ROUND MODEL
Filettature-Threads UNI ISO 228



FIG. UNI 529/A

Hexgaon on hole for galv Steel Model



for 1/2 " brass Model

dimension	galvan steel	brass	chr.brass	pcs 1 box
3/8 X 10	0,2221	0,4648	0,6714	250
3/8 X 15	0,2479	0,5578	0,7747	250
3/8 X 20	0,2686	0,6404	0,8780	250
3/8 X 25	0,3564	0,7734	0,9503	250
3/8 X 30	0,3873	0,8263	1,0484	250
1/2 X 10	0,2479	0,7179	0,8418	250
1/2 X 15	0,2892	0,8470	0,9709	250
1/2 X 20	0,3305	0,9761	1,1001	200
1/2 X 25	0,3822	1,0691	1,2653	150
1/2 X 30	0,4648	1,2292	1,3944	150
1/2 X 40		1,4771	1,6527	100
1/2 X 50		1,7353	1,9264	100
3/4 X 10		1,0226	1,4203	150
3/4 X 15		1,1259	1,5235	100
3/4 X 20		1,2756	1,6785	50
3/4 X 25		1,4667	1,8851	50
3/4 X 30		1,6268	2,0400	50
3/4 X 40		1,9367	2,3344	50
3/4 X 50				

Art 522

PROLUNGA M.F.- con foro mm. 14,5
MALE FEMALE SOCKET WITH HOLE OF 14,5 mm
Filettature-Threads UNI ISO 228
FIG. UNI 529/A



dimension	foro_hole	ZINCATO		pcs 1 box
		galvanized steel		
1/2 X 10	14,5 mm	0,2479		250
1/2 X 15	14,5 mm	0,2892		250
1/2 X 20	14,5 mm	0,3305		200
1/2 X 25	14,5 mm	0,3822		150
1/2 X 30	14,5 mm	0,4648		150

Art 523

PROLUNGA ESAGONALE
Hexagonal brass socket m.f.
Filettature-Threads UNI ISO 228
FIG. UNI 529/A



dimension	brass	chr.brass	pcs 1 box
1/2 X 10	ON DEMAN	A RICHESTÀ	250
1/2 X 15	ON DEMAN	A RICHESTÀ	250
1/2 X 20	ON DEMAN	A RICHESTÀ	200
1/2 X 25	ON DEMAN	A RICHESTÀ	150
1/2 X 30	ON DEMAN	A RICHESTÀ	100
1/2 X 40	ON DEMAN	A RICHESTÀ	50
1/2 X 50	ON DEMAN	A RICHESTÀ	50

Galvanized steel & Brass Fittings

Art 5 2 4

GOMITO OTTONE M.F. 90°
M.F. 90° BRASS ELBOW



dimension	brass	chr.brass	pcs 1 box
1/4"	0,8573	1,0949	100
3/8"	0,9813	1,2911	100
1/2"	1,4874	1,5804	100
3/4"	2,4015	2,4480	50
1"	3,4706	3,6152	25
1"1/4	5,4744		10
1"1/2	7,3079		10
2"	11,4653		5

Art 5 2 5

GOMITO OTTONE FF 90°
FF BRASS ELBOW 90°



dimension	GIALLO brass	CROMATO chr.brass	pcs 1 box
1/8"			100
1/4"	0,8573	1,0329	100
3/8"	0,9813	1,2911	100
1/2"	1,2137	1,4358	100
3/4"	2,0142	2,1588	50
1"	2,8922	3,2382	25
1"1/4	5,1284		10
1"1/2	6,4041		10
2"	9,9160		5

Art 5 2 6

TEE F.F.F. IN OTTONE
BRASS TEE



dimension	brass	chr.brass	pcs 1 box
1/8"			100
1/4"	1,1362	1,3686	100
3/8"	1,4048	1,5494	100
1/2"	1,4822	1,6836	100
3/4"	2,3241	2,5048	50
1"	3,7185	4,5138	25
1"1/4	6,5590		10
1"1/2	8,5732		10
2"	14,7707		5

Art 5 2 7

ANGOLO M.M.CON ROSETTA
Chromed plated m.m.elbow with washer




dimension		chr.brass	pcs 1 box
1/2"	con rosetta inox- inox washer	2,0142	20
1/2 "	con rosetta ottone- chr.brass washer	2,2208	20

Galvanized steel & Brass Fittings

Art	5 2 8	MISURE	OTTONE	CONF.PZ
		dimension	CROMATO chr.brass	pcs 1 box

RUBINETTO LAVATRICE a sfera
con maniglia a farfalla & rosetta
WASHING MACHINE ball TAP

1/2 x 3/4				3,3570	10
-----------	--	--	--	--------	----



Art	5 2 9	MISURE	ACCIAIO	CONF.PZ
		dimension	ZINCATO galvan steel	pcs 1 box

RIDUZIONE F.M.
REDUCED SOCKET M.F.



1/4 X 3/8	0,3254	250
3/8 X 1/2	0,3150	250
1/2 X 3/4	0,4596	150
3/4 X 3/8	0,4596	150
3/4 X 1"	0,6972	100

Art	5 3 1	MISURE	Forma del	ACCIAIO	MISURE	OTTONE	CONF.PZ
		dimension	foro hole shape	ZINCATO galvan steel	x ottone BRASS dimensi	GIALLO brass	pcs 1 box

NIPPLI TUTTO FILETTO
all threaded male nipples



1/4"	Hexagon	0,1808		250	
* 3/8		0,1498	3/8 x25 f 11	0,2841	250
* 1/2		0,1756	1/2x30 -f 15	0,3357	250
* 3/4		0,2944	3/4x30	0,7349	150
* 1"		0,5113	1 x 33	0,7900	100
1/2 st	Circle	0,3200		250	
3/4 st		0,5400		100	
1" st		0,8400		100	
1"1/4		0,8676		50	
1"1/2		1,0277		50	
2"		1,6010		25	
2"1/2		2,4273		10	
3"		3,4603		10	
4"		6,6881		10	