

Catalogue • 2012

FITTINGS

COPPER AND BRONZE ENDFEED FITTINGS

LÖTFITTING AUS KUPFER UND ROTGUSS



Copper endfeed fittings Kupfer-Lötfitings

5001

90° bend M/F
Bogen 90° I/A



Code	Dimensions Abmessungen		
RR5001006006000	6	10	1000
RR5001008008000	8	25	1000
RR5001010010000	10	10	700
RR5001012012000	12	10	400
RR5001014014000	14	10	300
RR5001015015000	15	10	300
RR5001016016000	16	10	240
RR5001018018000	18	10	150
RR5001020020000	20*		
RR5001022022000	22	10	100
RR5001025025000	25*		
RR5001028028000	28	10	60
RR5001032032000	32		
RR5001035035000	35	5	80
RR5001036036000	36		
RR5001040040000	40		
RR5001042042000	42	5	40
RR5001052052000	52		
RR5001054054000	54	1	10
RR5001063063000	63		
RR5001064064000	64	1	6
RR5001067067000	67	1	10
RR5001076076000	76,1	1	8
RR5001080080000	80	1	6
RR5001089089000	88,9	1	6
RR5001108108000	108	1	2

* Until stock availability • Solange Vorrat

5040

45° street elbow
Bogen 45° I/A



Code	Dimensions Abmessungen		
RR5040006006000	6	10	1000
RR5040008008000	8	10	1000
RR5040010010000	10	10	800
RR5040012012000	12	10	600
RR5040014014000	14	10	400
RR5040015015000	15	10	400
RR5040016016000	16	10	500
RR5040018018000	18	10	250
RR5040020020000	20*		
RR5040022022000	22	10	100
RR5040025025000	25*		
RR5040028028000	28	10	80
RR5040032032000	32		
RR5040035035000	35	5	100
RR5040036036000	36		
RR5040040040000	40		
RR5040042042000	42	5	50
RR5040052052000	52		
RR5040054054000	54	1	10
RR5040063063000	63		
RR5040064064000	64	1	25
RR5040067067000	67	1	15
RR5040070070000	70		
RR5040076076000	76,1	1	20
RR5040080080000	80	1	10
RR5040085085000	85		
RR5040089089000	88,9	1	5
RR5040108108000	108	1	2

* Until stock availability • Solange Vorrat

5002

90° bend
Bogen 90°



Code	Dimensions Abmessungen		
RR5002006006000	6	10	1000
RR5002008008000	8	10	1000
RR5002010010000	10	10	700
RR5002012012000	12	10	500
RR5002014014000	14	10	300
RR5002015015000	15	10	300
RR5002016016000	16	10	400
RR5002018018000	18	10	180
RR5002020020000	20*		
RR5002022022000	22	10	100
RR5002025025000	25*		
RR5002028028000	28	10	60
RR5002032032000	32		
RR5002035035000	35	5	30
RR5002036036000	36		
RR5002040040000	40		
RR5002042042000	42	5	50
RR5002054054000	54	1	10
RR5002063063000	63		
RR5002064064000	64	1	6
RR5002067067000	67	1	12
RR5002076076000	76,1	1	8
RR5002080080000	80	1	6
RR5002089089000	88,9	1	6
RR5002108108000	108	1	2

* Until stock availability • Solange Vorrat

5041

45° elbow
Bogen 45°



Code	Dimensions Abmessungen		
RR5041006006000	6	10	1000
RR5041008008000	8	10	1000
RR5041010010000	10	10	800
RR5041012012000	12	10	500
RR5041014014000	14	10	400
RR5041015015000	15	10	400
RR5041016016000	16	10	500
RR5041018018000	18	10	200
RR5041020020000	20*		
RR5041022022000	22	10	100
RR5041025025000	25*		
RR5041028028000	28	10	80
RR5041032032000	32		
RR5041035035000	35	5	100
RR5041036036000	36		
RR5041040040000	40		
RR5041042042000	42	5	50
RR5041052052000	52		
RR5041054054000	54	1	30
RR5041063063000	63		
RR5041064064000	64	1	20
RR5041067067000	67	1	15
RR5041070070000	70		
RR5041076076000	76,1	1	10
RR5041080080000	80	1	12
RR5041085085000	85		
RR5041089089000	88,9	1	10
RR5041108108000	108	1	5

* Until stock availability • Solange Vorrat



Pcs/Bag
St./Beutel



Pcs/Box
St./Karton

Copper endfeed fittings Kupfer-Löfittings

5090

90° elbow
Winkel 90°



Code	Dimensions Abmessungen		
RR509006006000	6	10	1500
RR509008008000	8	10	1500
RR5090010010000	10	10	800
RR5090012012000	12	10	500
RR5090014014000	14	10	400
RR5090015015000	15	10	300
RR5090016016000	16	10	300
RR5090018018000	18	10	200
RR5041020020000	20*		
RR5090022022000	22	10	130
RR5041025025000	25*		
RR5090028028000	28	10	60
RR5041032032000	32		
RR5090035035000	35	5	40
RR5041036036000	36		
RR5041040040000	40		
RR5090042042000	42	5	50
RR5090054054000	54	1	10
RR5041063063000	63		
RR5090064064000	64	1	25
RR5090067067000	67	1	10
RR5041070070000	70		
RR5090076076000	76,1	1	8
RR5090080080000	80	1	10
RR5041085085000	85		
RR5090089089000	88,9	1	8
RR5090108108000	108	1	5

* Until stock availability • Solange Vorrat

5085

Full crossover
Überspringbogen



Code	Dimensions Abmessungen		
RR5085012012000	12	25	150
RR5085014014000	14	10	100
RR5085015015000	15	10	180
RR5085016016000	16	10	100
RR5085018018000	18	10	200
RR5085022022000	22	5	100

5270

Straight coupling
Muffe



Code	Dimensions Abmessungen		
RR527006006000	6	10	1000
RR527008008000	8	25	1800
RR5270010010000	10	10	500
RR5270012012000	12	10	500
RR5270014014000	14	10	350
RR5270015015000	15	10	300
RR5270016016000	16	10	400
RR5270018018000	18	10	300
RR5270020020000	20*		
RR5270022022000	22	10	200
RR5270025025000	25*		
RR5270028028000	28	10	100
RR5270032032000	32		
RR5270035035000	35	10	60
RR5270036036000	36		
RR5270040040000	40		
RR5270042042000	42	5	100
RR5270052052000	52		
RR5270054054000	54	5	50
RR5270063063000	63		
RR5270064064000	64	5	30
RR5270067067000	67	1	40
RR5270070070000	70		
RR5270076076000	76,1	1	10
RR5270080080000	80	1	15
RR5270085085000	85		
RR5270089089000	88,9	1	24
RR5270108108000	108	1	10

* Until stock availability • Solange Vorrat

5092

90° street elbow
Winkel 90° I/A



Code	Dimensions Abmessungen		
RR509206006000	6	10	1000
RR509208008000	8	10	1000
RR5092010010000	10	10	500
RR5092012012000	12	10	400
RR5092014014000	14	10	400
RR5092015015000	15	10	300
RR5092016016000	16	10	500
RR5092018018000	18	10	250
RR5092020020000	20*		
RR5092022022000	22	10	350
RR5092025025000	25*		
RR5092028028000	28	10	60
RR5092032032000	32		
RR5092035035000	35	5	100
RR5092036036000	36		
RR5092040040000	40		
RR5092042042000	42	5	50
RR5092052052000	52		
RR5092054054000	54	1	10
RR5092063063000	63		
RR5092064064000	64	1	8
RR5092067067000	67	1	8
RR5092070070000	70		
RR5092076076000	76,1	1	10
RR5092080080000	80	1	10
RR5092089089000	88,9	1	10
RR5092108108000	108	1	5

* Until stock availability • Solange Vorrat

5130

Equal Tee
T-Stück



Code	Dimensions Abmessungen		
RR513006006006	6	10	750
RR513008008008	8	10	1400
RR5130010010010	10	10	1000
RR5130012012012	12	10	400
RR5130014014014	14	10	300
RR5130015015015	15	10	250
RR5130016016016	16	10	200
RR5130018018018	18	10	140
RR5130020020020	20*		
RR5130022022022	22	10	80
RR5130025025025	25*		
RR5130028028028	28	10	40
RR5130032032032	32		
RR5130035035035	35	5	70
RR5130036036036	36		
RR5130040040040	40		
RR5130042042042	42	5	40
RR5130052052052	52		
RR5130054054054	54	1	10
RR5130063063063	63		
RR5130064064064	64	1	12
RR5130067067067	67		
RR5130070070070	70		
RR5130076076076	76,1	1	9
RR5130080080080	80		
RR5130085085085	85		
RR5130089089089	88,9	1	5
RR5130108108108	108	1	3

* Until stock availability • Solange Vorrat

5086

Partial crossover
Überspringbogen



Code	Dimensions Abmessungen		
RR5086012012000	12	10	150
RR5086014014000	14	10	150
RR5086015015000	15	10	150
RR5086016016000	16	10	100
RR5086018018000	18	10	100
RR5086022022000	22	5	100

Copper endfeed fittings
Kupfer-Löfittings

5130
Reducing Tee (1/4)
T-Stück reduziert



Code	Dimensions Abmessungen		
RR5130008006006	8x6x6		
RR5130008006008	8x6x8		
RR5130008010008	8x10x8		
RR5130010006010	10x6x10	10	600
RR5130010008008	10x8x8	10	600
RR5130010008010	10x8x10	10	500
RR5130010010008	10x10x8	10	500
RR5130010012010	10x12x10	10	500
RR5130010015010	10x15x10	10	300
RR5130012008008	12x8x8	10	450
RR5130012008010	12x8x10	10	450
RR5130012008012	12x8x12		
RR5130012010008	12x10x8	10	450
RR5130012010010	12x10x10	10	400
RR5130012010012	12x10x12	10	400
RR5130012012008	12x12x8	10	400
RR5130012012010	12x12x10	10	400
RR5130012014012	12x14x12	10	300
RR5130012015012	12x15x12	10	300
RR5130012016012	12x16x12	10	300
RR5130012018012	12x18x12	10	300
RR5130012022012	12x22x12	10	250
RR5130014010010	14x10x10	10	300
RR5130014010012	14x10x12	10	300
RR5130014010014	14x10x14	10	300
RR5130014012010	14x12x10	10	300
RR5130014012012	14x12x12	10	300
RR5130014012014	14x12x14	10	300
RR5130014014010	14x14x10	10	300
RR5130014014012	14x14x12	10	300
RR5130014016012	14x16x12	10	250
RR5130014016014	14x16x14	10	250
RR5130014018012	14x18x12	10	200
RR5130014018014	14x18x14	10	150
RR5130014022014	14x22x14	10	250
RR5130015008010	15x8x10	10	400
RR5130015008012	15x8x12	10	400
RR5130015008015	15x8x15	10	
RR5130015010010	15x10x10	10	400
RR5130015010012	15x10x12	10	400
RR5130015010015	15x10x15	10	300
RR5130015012010	15x12x10	10	200
RR5130015012012	15x12x12	10	250
RR5130015012015	15x12x15	10	200
RR5130015015008	15x15x8	10	300
RR5130015015010	15x15x10	10	300
RR5130015015012	15x15x12	10	300
RR5130015015018	15x15x18	10	300
RR5130015018012	15x18x12	10	300
RR5130015018015	15x18x15	10	300
RR5130015022015	15x22x15	10	250
RR5130015028015	15x28x15	10	100
RR5130016010016	16x10x16	10	250
RR5130016012012	16x12x12	10	250
RR5130016012014	16x12x14	10	250
RR5130016012016	16x12x16	10	250
RR5130016014012	16x14x12	10	250
RR5130016014014	16x14x14	10	200
RR5130016014016	16x14x16	10	200
RR5130016016010	16x16x10	10	250
RR5130016016012	16x16x12	10	250
RR5130016016014	16x16x14	10	250
RR5130016018014	16x18x14	10	300
RR5130016018016	16x18x16	10	300
RR5130016020016	16x20x16		
RR5130016022016	16x22x16	10	250
RR5130018010010	18x10x10	10	350
RR5130018010012	18x10x12	10	350
RR5130018010018	18x10x18	10	350
RR5130018012012	18x12x12	10	350
RR5130018012014	18x12x14	10	350
RR5130018012015	18x12x15	10	350
RR5130018012016	18x12x16	10	350
RR5130018012018	18x12x18	10	250
RR5130018014012	18x14x12	10	300
RR5130018014014	18x14x14	10	300

5130
Reducing Tee (2/4)
T-Stück reduziert



Code	Dimensions Abmessungen		
RR5130018014016	18x14x16	10	300
RR5130018014018	18x14x18	10	300
RR5130018015012	18x15x12	10	300
RR5130018015015	18x15x15	10	180
RR5130018015018	18x15x18	10	180
RR5130018016012	18x16x12	10	200
RR5130018016014	18x16x14	10	300
RR5130018016016	18x16x16	10	300
RR5130018016018	18x16x18	10	300
RR5130018018012	18x18x12	10	250
RR5130018018014	18x18x14	10	250
RR5130018018015	18x18x15	10	250
RR5130018018016	18x18x16	10	300
RR5130018020018	18x20x18		
RR5130018022014	18x22x14		
RR5130018022015	18x22x15	10	200
RR5130018022018	18x22x18	10	250
RR5130018028018	18x28x18	10	50
RR5130020012020	20x12x20*		
RR5130020014018	20x14x18*		
RR5130020014020	20x14x20*		
RR5130020016016	20x16x16*		
RR5130020016018	20x16x18*		
RR5130020016020	20x16x20*		
RR5130020018018	20x18x18*		
RR5130020018020	20x18x20*		
RR5130020020014	20x20x14*		
RR5130020020016	20x20x16*		
RR5130020020018	20x20x18*		
RR5130020022020	20x22x20*		
RR5130022010022	22x10x22	10	250
RR5130022012012	22x12x12	10	250
RR5130022012014	22x12x14	10	250
RR5130022012015	22x12x15	10	250
RR5130022012018	22x12x18	10	250
RR5130022012022	22x12x22	10	250
RR5130022014014	22x14x14	10	200
RR5130022014016	22x14x16	10	200
RR5130022014018	22x14x18	10	200
RR5130022014022	22x14x22	10	200
RR5130022015012	22x15x12	10	150
RR5130022015015	22x15x15	10	200
RR5130022015018	22x15x18	10	200
RR5130022015022	22x15x22	10	100
RR5130022016014	22x16x14	10	200
RR5130022016016	22x16x16	10	200
RR5130022016018	22x16x18	10	200
RR5130022016022	22x16x22	10	200
RR5130022018012	22x18x12	10	150
RR5130022018014	22x18x14	10	200
RR5130022018015	22x18x15	10	200
RR5130022018016	22x18x16	10	200
RR5130022018018	22x18x18	10	150
RR5130022018022	22x18x22	10	100
RR5130022020022	22x20x22*		
RR5130022020202	22x20x22*		
RR5130022020202	22x22x12	10	250
RR5130022020204	22x22x14	10	250
RR5130022020205	22x22x15	10	250
RR5130022020206	22x22x16	10	250
RR5130022020208	22x22x18	10	250
RR5130022020200	22x22x20*		
RR5130022028015	22x28x15	10	200
RR5130022028022	22x28x22	5	130
RR5130022035022	22x35x22	5	100
RR5130028010028	28x10x28	10	200
RR5130028012012	28x12x12	10	50
RR5130028012015	28x12x15	10	50
RR5130028012018	28x12x18	10	180
RR5130028012022	28x12x22	10	180
RR5130028012028	28x12x28	10	200
RR5130028014028	28x14x28	10	200
RR5130028015012	28x15x12	10	100
RR5130028015015	28x15x15	10	200
RR5130028015018	28x15x18	10	150
RR5130028015022	28x15x22	10	200
RR5130028015028	28x15x28	10	150



* Until stock availability • Solange Vorrat

Copper endfeed fittings Kupfer-Löfittings

5130

Reducing Tee
T-Stück reduziert (3/4)





Code	Dimensions Abmessungen		
RR5130028016016	28x16x16	10	200
RR5130028016018	28x16x18		
RR5130028016022	28x16x22	10	150
RR5130028016028	28x16x28	10	200
RR5130028018012	28x18x12	10	180
RR5130028018015	28x18x15	10	150
RR5130028018018	28x18x18	10	180
RR5130028018022	28x18x22	10	150
RR5130028018028	28x18x28	10	180
RR5130028020028	28x20x28*		
RR5130028022012	28x22x12	10	150
RR5130028022015	28x22x15	10	150
RR5130028022016	28x22x16	10	150
RR5130028022018	28x22x18	10	150
RR5130028022022	28x22x22	10	160
RR5130028022028	28x22x28	10	130
RR5130028028012	28x28x12	10	200
RR5130028028014	28x28x14	5	100
RR5130028028015	28x28x15	10	150
RR5130028028016	28x28x16	10	150
RR5130028028018	28x28x18	10	100
RR5130028028022	28x28x22	10	130
RR5130028035022	28x35x22	5	70
RR5130028035028	28x35x28	5	70
RR5130028042028	28x42x28	5	50
RR5130032016032	32x16x32		
RR5130032018032	32x18x32		
RR5130032022032	32x22x32		
RR5130032028032	32x28x32		
RR5130035012035	35x12x35	5	100
RR5130035015022	35x15x22	5	100
RR5130035015028	35x15x28	5	100
RR5130035015035	35x15x35	5	100
RR5130035018022	35x18x22	5	100
RR5130035018028	35x18x28	5	100
RR5130035018035	35x18x35	5	100
RR5130035022015	35x22x15	5	100
RR5130035022018	35x22x18	5	100
RR5130035022022	35x22x22	5	100
RR5130035022028	35x22x28	5	100
RR5130035022035	35x22x35	5	80
RR5130035028015	35x28x15	5	80
RR5130035028018	35x28x18	5	80
RR5130035028022	35x28x22	5	100
RR5130035028028	35x28x28	5	80
RR5130035028035	35x28x35	5	70
RR5130035035015	35x35x15	5	70
RR5130035035018	35x35x18	5	70
RR5130035035022	35x35x22	5	70
RR5130035035028	35x35x28	5	70
RR5130035042035	35x42x35	5	40
RR5130036016036	36x16x36		
RR5130036018036	36x18x36		
RR5130036022036	36x22x36		
RR5130036028036	36x28x36		
RR5130036032036	36x32x36		
RR5130040032040	40x32x40		
RR5130040036040	40x36x40		
RR5130042015042	42x15x42	5	70
RR5130042018042	42x18x42	5	70
RR5130042022035	42x22x35	5	70
RR5130042022042	42x22x42	5	60
RR5130042028022	42x28x22	5	50
RR5130042028028	42x28x28	5	60
RR5130042028035	42x28x35	5	50
RR5130042028042	42x28x42	5	50
RR5130042032042	42x32x42		
RR5130042035028	42x35x28	5	40
RR5130042035035	42x35x35	5	40
RR5130042035042	42x35x42	5	40
RR5130042042022	42x42x22	5	40
RR5130042042028	42x42x28	5	40
RR5130042042035	42x42x35	5	40
RR5130042054042	42x54x42	1	10
RR5130052022052	52x22x52		
RR5130052028052	52x28x52		

* Until stock availability • Solange Vorrat

5130

Reducing Tee
T-Stück reduziert (4/4)



Code	Dimensions Abmessungen		
RR5130052032052	52x32x52		
RR5130052042052	52x42x52		
RR5130054015054	54x15x54	1	10
RR5130054018054	54x18x54	5	20
RR5130054022022	54x22x22		
RR5130054022042	54x22x42	1	20
RR5130054022054	54x22x54	5	20
RR5130054028028	54x28x28		
RR5130054028042	54x28x42	1	10
RR5130054028054	54x28x54	5	25
RR5130054035035	54x35x35	1	8
RR5130054035042	54x35x42	1	10
RR5130054035054	54x35x54	1	10
RR5130054042042	54x42x42	1	10
RR5130054042054	54x42x54	1	10
RR5130054054035	54x54x35	1	20
RR5130054054042	54x54x42	1	20
RR5130064035064	64x35x64	1	20
RR5130064042064	64x42x64	1	10
RR5130064054064	64x54x64	1	18
RR5130064064067	64x64x67	1	18
RR5130067028067	67x28x67	1	5
RR5130067035067	67x35x67	1	5
RR5130067042067	67x42x67	1	5
RR5130067054067	67x54x67	1	5
RR5130067067028	67x67x28	1	5
RR5130067067035	67x67x35	1	5
RR5130067067042	67x67x42	1	5
RR5130067067054	67x67x54	1	5
RR5130076035076	76,1x35x76,1	1	15
RR5130076042076	76,1x42x76,1	1	5
RR5130076054076	76,1x54x76,1	1	12
RR5130076064076	76,1x64x76,1	1	10
RR5130080054080	80x54x80		
RR5130089042089	88,9x42x88,9		
RR5130089054089	88,9x54x88,9	1	5
RR5130089064089	88,9x64x88,9	1	8
RR5130089076089	88,9x76,1x88,9	1	5
RR5130108054108	108x54x108	1	3
RR5130108064108	108x64x108	1	3
RR5130108076108	108x76,1x108	1	5
RR5130108080108	108x80x108	1	3
RR5130108089108	108x88,9x108	1	1
RR5130108108054	108x108x54	1	3
RR5130108108064	108x108x64	1	3
RR5130108108067	108x108x67	1	3



 = Pcs/Bag
St./Beutel  = Pcs/Box
St./Karton

Copper endfeed fittings
Kupfer-Löfittings

5243

Fitting reducer (1/2)
Reduziernippel
1/A





Code	Dimensions Abmessungen		
RR5243008006000	8x6	50	2500
RR5243010006000	10x6	10	2000
RR5243010008000	10x8	10	2000
RR5243012006000	12x6	10	1000
RR5243012008000	12x8	10	1000
RR5243012010000	12x10	10	1000
RR5243014010000	14x10	25	1000
RR5243014012000	14x12	10	500
RR5243015008000	15x8	10	1000
RR5243015010000	15x10	10	500
RR5243015012000	15x12	10	500
RR5243015014000	15x14	10	500
RR5243016010000	16x10	10	500
RR5243016012000	16x12	10	500
RR5243016014000	16x14	10	500
RR5243016015000	16x15		
RR5243018010000	18x10	10	400
RR5243018012000	18x12	10	400
RR5243018014000	18x14	10	700
RR5243018015000	18x15	10	350
RR5243018016000	18x16	10	700
RR5243020012000	20x12*		
RR5243020014000	20x14*		
RR5243020016000	20x16*		
RR5243020018000	20x18*		
RR5243022010000	22x10	10	250
RR5243022012000	22x12	10	250
RR5243022014000	22x14	10	250
RR5243022015000	22x15	10	250
RR5243022016000	22x16	10	300
RR5243022018000	22x18	10	200
RR5243022020000	22x20*		
RR5243025016000	25x16*		
RR5243025018000	25x18*		
RR5243025022000	25x22*		
RR5243028010000	28x10	10	200
RR5243028012000	28x12	10	300
RR5243028014000	28x14	10	250
RR5243028015000	28x15	10	250
RR5243028016000	28x16	10	250
RR5243028018000	28x18	10	250
RR5243028020000	28x20*		
RR5243028022000	28x22	10	150
RR5243028025000	28x25*		
RR5243032018000	32x18		
RR5243032020000	32x20*		
RR5243032022000	32x22		
RR5243032028000	32x28		
RR5243035012000	35x12	10	250
RR5243035015000	35x15	10	250
RR5243035018000	35x18	10	200
RR5243035022000	35x22	10	200
RR5243035028000	35x28	10	200
RR5243036022000	36x22		
RR5243036028000	36x28		
RR5243036032000	36x32		
RR5243036035000	36x35		
RR5243040022000	40x22		
RR5243040028000	40x28		
RR5243040032000	40x32		
RR5243040035000	40x35		
RR5243040036000	40x36		
RR5243042015000	42x15	5	190
RR5243042018000	42x18	5	100
RR5243042022000	42x22	5	100
RR5243042028000	42x28	5	140
RR5243042032000	42x32		
RR5243042035000	42x35	5	120
RR5243042036000	42x36		
RR5243042040000	42x40		
RR5243052028000	52x28		
RR5243052032000	52x32		
RR5243052035000	52x35		
RR5243052036000	52x36		
RR5243052040000	52x40		
RR5243052042000	52x42		

* Until stock availability • Solange Vorrat

5243

Fitting reducer (2/2)
Reduziernippel
1/A



Code	Dimensions Abmessungen		
RR5243054018000	54x18	5	50
RR5243054022000	54x22	5	90
RR5243054028000	54x28	5	90
RR5243054032000	54x32		
RR5243054035000	54x35	5	50
RR5243054036000	54x36		
RR5243054040000	54x40		
RR5243054042000	54x42	5	50
RR5243054052000	54x52		
RR5243063042000	63x42		
RR5243063052000	63x52		
RR5243063054000	63x54		
RR5243064035000	64x35	1	10
RR5243064042000	64x42	1	40
RR5243064054000	64x54	1	40
RR5243067042000	67x42	1	40
RR5243067054000	67x54	1	24
RR5243070042000	70x42		
RR5243070052000	70x52		
RR5243070054000	70x54		
RR5243070063000	70x63		
RR5243076035000	76,1x35	1	24
RR5243076042000	76,1x42	1	24
RR5243076054000	76,1x54	1	30
RR5243076064000	76,1x64	1	15
RR5243076067000	76,1x67	1	10
RR5243080042000	80x42	1	4
RR5243080054000	80x54	1	10
RR5243080064000	80x64		
RR5243085052000	85x52		
RR5243085063000	85x63		
RR5243085070000	85x70		
RR5243089054000	88,9x54	1	10
RR5243089064000	88,9x64	1	20
RR5243089076000	88,9x76,1	1	10
RR5243108054000	108x54	1	5
RR5243108064000	108x64		
RR5243108067000	108x67	1	10
RR5243108076000	108x76,1	1	5
RR5243108089000	108x88,9	1	5



Pcs/Bag
St./Beutel



Pcs/Box
St./Karton



Copper endfeed fittings Kupfer-Löfittings

5240

Reducing
coupling
Reduziermuffe

(1/2)



Code	Dimensions Abmessungen		
RR524008006000	8x6	10	2000
RR5240010006000	10x6	10	2000
RR5240010008000	10x8	10	1000
RR5240012008000	12x8	10	1000
RR5240012010000	12x10	10	600
RR5240014010000	14x10	10	600
RR5240014012000	14x12	10	500
RR5240015008000	15x8	10	1000
RR5240015010000	15x10	10	600
RR5240015012000	15x12	10	500
RR5240015014000	15x14	10	500
RR5240016010000	16x10	10	500
RR5240016012000	16x12	10	500
RR5240016014000	16x14	10	400
RR5240016015000	16x15		
RR5240018010000	18x10	10	400
RR5240018012000	18x12	10	400
RR5240018014000	18x14	10	700
RR5240018015000	18x15	10	350
RR5240018016000	18x16	10	600
RR5240020012000	20x12*		
RR5240020014000	20x14*		
RR5240020016000	20x16*		
RR5240020018000	20x18*		
RR5240022010000	22x10	10	300
RR5240022012000	22x12	10	250
RR5240022014000	22x14	10	300
RR5240022015000	22x15	10	250
RR5240022016000	22x16	10	300
RR5240022018000	22x18	10	240
RR5240022020000	22x20*		
RR5240025022000	25x22*		
RR5240028010000	28x10	10	300
RR5240028012000	28x12	10	300
RR5240028014000	28x14	10	250
RR5240028015000	28x15	10	250
RR5240028016000	28x16	10	250
RR5240028018000	28x18	10	250
RR5240028020000	28x20*		
RR5240028022000	28x22	10	150
RR5240028025000	28x25*		
RR5240032014000	32x14		
RR5240032016000	32x16		
RR5240032018000	32x18		
RR5240032022000	32x22		
RR5240032028000	32x28		
RR5240035012000	35x12	10	250
RR5240035015000	35x15	10	250
RR5240035018000	35x18	10	200
RR5240035022000	35x22	10	200
RR5240035028000	35x28	10	200
RR5240035032000	35x32		
RR5240036022000	36x22		
RR5240036028000	36x28		
RR5240036032000	36x32		
RR5240036035000	36x35		
RR5240040022000	40x22		
RR5240040028000	40x28		
RR5240040032000	40x32		
RR5240040035000	40x35		
RR5240040036000	40x36		
RR5240042015000	42x15	5	190
RR5240042018000	42x18	5	190
RR5240042022000	42x22	5	100
RR5240042028000	42x28	5	130
RR5240042032000	42x32		
RR5240042035000	42x35	5	120
RR5240042036000	42x36		
RR5240052028000	52x28		
RR5240052032000	52x32		
RR5240052035000	52x35		
RR5240052036000	52x36		
RR5240052040000	52x40		
RR5240052042000	52x42		
RR5240054022000	54x22	5	90
RR5240054028000	54x28	5	70



* Until stock availability • Solange Vorrat

5240


Reducing
coupling
Reduziermuffe

(2/2)



Code	Dimensions Abmessungen		
RR5240054035000	54x35	5	50
RR5240054036000	54x36		
RR5240054040000	54x40		
RR5240054042000	54x42	5	50
RR5240054052000	54x52		
RR5240063040000	63x40		
RR5240063042000	63x42		
RR5240063052000	63x52		
RR5240063054000	63x54		
RR5240064035000	64x35	1	15
RR5240064042000	64x42	1	10
RR5240064054000	64x54	1	40
RR5240067054000	67x54	1	45
RR5240070042000	70x42		
RR5240070052000	70x52		
RR5240070054000	70x54		
RR5240070063000	70x63		
RR5240076035000	76,1x35		
RR5240076042000	76,1x42		
RR5240076054000	76,1x54	1	30
RR5240076063000	76,1x63		
RR5240076064000	76,1x64	1	30
RR5240080064000	80x64		
RR5240085052000	85x52		
RR5240085054000	85x54		
RR5240085063000	85x63		
RR5240085070000	85x70		
RR5240089076000	88,9x76,1	1	20
RR5240108054000	108x54	1	10
RR5240108064000	108x64	1	10
RR5240108067000	108x67	1	5
RR5240108076000	108x76,1	1	5
RR5240108089000	108x88,9	1	5

 = Pcs/Bag
St./Beutel

 = Pcs/Box
St./Karton

Copper endfeed fittings Kupfer-Lötfittinge

5358 G

Straight Tap Connector
Halbe Verschraubung



With Joint • Mit Dichtung

Code	Dimensions Abmessungen		
B5358TA12015000	1/2x15	25	250
B5358TA34015000	3/4x15	10	200
B5358TA34022000	3/4x22	10	150

Straight Tap Connector with fiber washer
Halbe Verschraubung flachdichtend

Code	Dimensions Abmessungen		
B5358GA38012000	3/8x12	10	
B5358GA12010000	1/2x10	10	
B5358GA12012000	1/2x12	10	250
B5358GA12014000	1/2x14	10	
B5358GA12015000	1/2x15	10	250
B5358GA12016000	1/2x16	10	
B5358GA34012000	3/4x12	10	
B5358GA34014000	3/4x14	10	
B5358GA34015000	3/4x15	10	200
B5358GA34016000	3/4x16	10	
B5358GA34018000	3/4x18	10	150
B5358GA34022000	3/4x22	10	150
B5358GB01018000	1x18	10	

5359 G

Straight top connector
Halbe Verschraubung



Code	Dimensions Abmessungen		
B5359GA12010000	1/2x10	10	200
B5359GA12012000	1/2x12	10	250
B5359GA34012000	3/4x12	10	100
B5359GA34014000	3/4x14	25	250
B5359GA34015000	3/4x15	10	200
B5359GA34016000	3/4x16	10	200
B5359GA34018000	3/4x18	10	150
B5359GB01018000	1x18	10	100
B5359GB01022000	1x22	10	100
B5359GB14028000	1.1/4x28	10	50

5060

180° return bend
Doppelbogen 180°



Code	Dimensions Abmessungen		
RR5060010010000	10	10	300
RR5060012012000	12	10	250
RR5060014014000	14	10	200
RR5060015015000	15	10	100
RR5060016016000	16	10	150
RR5060018018000	18	10	150
RR5060022022000	22	10	60
RR5060028028000	28	5	60
RR5060035035000	35	5	30
RR5060042042000	42	1	12
RR5060054054000	54	1	6

5301

Stop end
Kappe



Code	Dimensions Abmessungen		
RR5301008000000	8	10	600
RR5301010000000	10	10	2500
RR5301012000000	12	10	1000
RR5301014000000	14	10	1000
RR5301015000000	15	10	600
RR5301016000000	16	10	400
RR5301018000000	18	10	500
RR5301022000000	22	10	300
RR5301028000000	28	10	200
RR5301035000000	35	5	100
RR5301042000000	42	5	70
RR5301052000000	52		
RR5301054000000	54	5	100
RR5301064000000	64	1	50
RR5301067000000	67	1	30
RR5301076000000	76,1	1	25
RR5301080000000	80		
RR5301089000000	88,9	1	25
RR5301108000000	108	1	5

5002 A

Bent tap connector
Bogenverschraubung 90°



Straight Tap Connector with fiber washer
Halbe Verschraubung flachdichtend

Code	Dimensions Abmessungen		
RD5002A38012000	3/8x12	10	200
RD5002A12012000	1/2x12	10	150
RD5002A12014000	1/2x14	10	150
RD5002A12015000	1/2x15	10	100
RD5002A12016000	1/2x16	10	100
RD5002A34015000	3/4x15	10	150
RD5002A34016000	3/4x16	10	100
RD5002A34018000	3/4x18	10	100
RD5002A34022000	3/4x22		



Pcs/Bag
St./Beutel



Pcs/Box
St./Karton

Bronze endfeed fittings Rotguss-Löfitings

4090 G

90° elbow
Winkel 90°



Code	Dimensions Abmessungen		
RB4090A38010000	3/8x10	10	250
RB4090A38012000	3/8x12	10	250
RB4090A38014000	3/8x14	10	200
RB4090A38015000	3/8x15	10	200
RB4090A12010000	1/2x10	10	250
RB4090A12012000	1/2x12	10	250
RB4090A12014000	1/2x14	10	200
RB4090A12015000	1/2x15	10	250
RB4090A12016000	1/2x16	10	200
RB4090A12018000	1/2x18	10	150
RB4090A12022000	1/2x22	10	100
RB4090A34015000	3/4x15	10	100
RB4090A34016000	3/4x16	10	150
RB4090A34018000	3/4x18	10	200
RB4090A34022000	3/4x22	10	80
RB4090A34028000	3/4x28	10	70
RB4090B01022000	1x22	5	50
RB4090B01028000	1x28	5	50
RB4090B01035000	1x35	5	30
RB4090B14035000	1.1/4x35	10	40
RB4090B12042000	1.1/2x42	5	30

4134 G

Tee Female thread
T-Stück



Code	Dimensions Abmessungen		
RB4134A12015015	1/2x15x15	1	150
RB4134A12022022	1/2x22x22	10	70
RB4134A34022022	3/4x22x22	1	150

4243 G

Straight adaptor
Übergangsnippel



Code	Dimensions Abmessungen		
RB4243A38010000	3/8x10	10	500
RB4243A38012000	3/8x12	10	500
RB4243A38014000	3/8x14	10	300
RB4243A38015000	3/8x15	10	300
RB4243A12010000	1/2x10	10	300
RB4243A12012000	1/2x12	10	350
RB4243A12014000	1/2x14	10	300
RB4243A12015000	1/2x15	10	300
RB4243A12016000	1/2x16	10	300
RB4243A12018000	1/2x18	10	300
RB4243A12022000	1/2x22	10	200
RB4243A12028000	1/2x28	10	100
RB4243A34014000	3/4x14	10	200
RB4243A34015000	3/4x15	10	200
RB4243A34016000	3/4x16	10	200
RB4243A34018000	3/4x18	10	200
RB4243A34022000	3/4x22	10	150
RB4243A34028000	3/4x28	10	100
RB4243A34035000	3/4x35	10	60
RB4243B01022000	1x22	10	100
RB4243B01028000	1x28	10	100
RB4243B01035000	1x35	5	70
RB4243B14028000	1.1/4x28	5	50
RB4243B14035000	1.1/4x35	5	50
RB4243B14042000	1.1/4x42	5	40
RB4243B12035000	1.1/2x35	5	80
RB4243B12042000	1.1/2x42	5	35
RB4243B12054000	1.1/2x54	5	25
RB4243C02042000	2x42	5	25
RB4243C02054000	2x54	5	20
RB4243C12064000	2.1/2x64	1	15
RB4243C12070000	2.1/2x70	1	16
RB4243C12076000	2.1/2x76,1	1	20
RB4243D03076000	3x76	1	16
RB4243D03080000	3x80	1	16
RB4243D03089000	3x88,9	1	10
RB4243E04102000	4x102	1	6
RB4243E04108000	4x108	1	6

4092 G

90° street elbow
Winkel 90° 1/A



Code	Dimensions Abmessungen		
RB4092A38010000	3/8x10	10	200
RB4092A38012000	3/8x12	10	250
RB4092A38014000	3/8x14	10	250
RB4092A38015000	3/8x15	10	200
RB4092A12012000	1/2x12	10	250
RB4092A12014000	1/2x14	10	250
RB4092A12015000	1/2x15	10	200
RB4092A12016000	1/2x16	10	150
RB4092A12018000	1/2x18	10	150
RB4092A12022000	1/2x22		
RB4092A34015000	3/4x15	10	150
RB4092A34018000	3/4x18	10	100
RB4092A34022000	3/4x22	10	100
RB4092A34028000	3/4x28	10	100
RB4092B01022000	1x22	5	75
RB4092B01028000	1x28	10	50
RB4092B14035000	1.1/4x35	5	50

4130 G

Tee female on branch
T-Stück



Code	Dimensions Abmessungen		
RB4130010A38010	10x3/8x10	10	200
RB4130010A12010	10x1/2x10	10	200
RB4130012A38012	12x3/8x12	10	200
RB4130012A12012	12x1/2x12	10	150
RB4130014A38014	14x3/8x14	10	150
RB4130014A12014	14x1/2x14	10	100
RB4130015A38015	15x3/8x15	10	150
RB4130015A12015	15x1/2x15	10	150
RB4130016A12016	16x1/2x16	10	100
RB4130018A38018	18x3/8x18	10	150
RB4130018A12018	18x1/2x18	10	100
RB4130018A34015	18x3/4x15	10	50
RB4130018A34018	18x3/4x18	10	60
RB4130022A38022	22x3/8x22	10	150
RB4130022A12022	22x1/2x22	10	70
RB4130022A34022	22x3/4x22	5	80
RB4130028A12028	28x1/2x28	5	90
RB4130028A34028	28x3/4x28	5	40
RB4130028B01028	28x1x28	10	50
RB4130035A12035	35x1/2x35	5	25

4280 G

Nipple
Doppelnippel



Code	Dimensions Abmessungen		
RB4280A38012000	3/8x12	10	300
RB4280A12015000	1/2x15	10	100
RB4280A12018000	1/2x18	10	100
RB4280A12022000	1/2x22	10	100
RB4280A34022000	3/4x22	10	100

Bronze endfeed fittings Rotguss-Lötfittinge

4270 G

Straight adaptor
Übergangsmuffe



Code	Dimensions Abmessungen		
RB4270A38010000	3/8x10	10	400
RB4270A38012000	3/8x12	10	400
RB4270A38014000	3/8x14	10	400
RB4270A38015000	3/8x15	10	300
RB4270A12010000	1/2x10	10	300
RB4270A12012000	1/2x12	10	300
RB4270A12014000	1/2x14	10	250
RB4270A12015000	1/2x15	10	250
RB4270A12016000	1/2x16	10	250
RB4270A12018000	1/2x18	10	250
RB4270A12022000	1/2x22	10	200
RB4270A12028000	1/2x28	10	100
RB4270A34014000	3/4x14	10	200
RB4270A34015000	3/4x15	10	200
RB4270A34016000	3/4x16	10	200
RB4270A34018000	3/4x18	10	150
RB4270A34022000	3/4x22	10	150
RB4270A34028000	3/4x28	10	100
RB4270A34035000	3/4x35	5	100
RB4270B01022000	1x22	10	100
RB4270B01028000	1x28	10	80
RB4270B01035000	1x35	5	50
RB4270B01042000	1x42	5	15
RB4270B14028000	1.1/4x28	5	50
RB4270B14035000	1.1/4x35	5	50
RB4270B14042000	1.1/4x42	5	40
RB4270B12042000	1.1/2x42	5	30
RB4270B12054000	1.1/2x54	5	15
RB4270C02054000	2x54	1	15
RB4270C02064000	2x64	1	10
RB4270C12064000	2.1/2x64	1	16
RB4270C12070000	2.1/2x70	1	20
RB4270C12076000	2.1/2x76	1	20
RB4270D03076000	3x76	1	2
RB4270D03080000	3x80	1	6
RB4270D03089000	3x89	1	6
RB4270E04080000	4x80	1	6

4246 G

Coupler M/F
Übergangsmuffennippel



Code	Dimensions Abmessungen		
RB4246A38012000	3/8x12	10	300
RB4246A38015000	3/8x15		
RB4246A12012000	1/2x12	10	100
RB4246A12015000	1/2x15	10	100
RB4246A12018000	1/2x18	10	200
RB4246A12022000	1/2x22		
RB4246B01028000	1x28	5	100
RB4246B14035000	1.1/4x35		

4471

Wallplate Elbow 3 holes
Deckenwinkel mit
Dreiecksaufnahme



Code	Dimensions Abmessungen		
RB4471A12012000	1/2x12	10	200
RB4471A12015000	1/2x15	25	150
RB4471A12018000	1/2x18		
RB4471B01028000	1x28		
RB4471A34018000	3/4x18		
RB4471A34022000	3/4x22	10	50
RB4471A38015000	3/8x15		

4472 G

Wallplate Elbow 2 holes
Deckenwinkel



Code	Dimensions Abmessungen		
RB4472A38012000	3/8x12	10	200
RB4472A38014000	3/8x14	10	100
RB4472A38015000	3/8x15	10	100
RB4472A12012000	1/2x12	10	150
RB4472A12014000	1/2x14	10	150
RB4472A12015000	1/2x15	10	150
RB4472A12016000	1/2x16	10	150
RB4472A12018000	1/2x18	10	100
RB4472A34015000	3/4x15	10	80
RB4472A34018000	3/4x18	10	80
RB4472A34022000	3/4x22	10	70

4098 G

Union elbow 90°
Winkelverschraubung 90°
konischdichtend



Code	Dimensions Abmessungen		
B4098GA38010000	3/8x10	10	100
B4098GA38012000	3/8x12	10	100
B4098GA38014000	3/8x14	10	100
B4098GA38015000	3/8x15	10	100
B4098GA12012000	1/2x12	10	100
B4098GA12014000	1/2x14	10	100
B4098GA12015000	1/2x15	10	150
B4098GA12016000	1/2x16	10	100
B4098GA12018000	1/2x18	10	100
B4098GA34018000	3/4x18	10	50
B4098GA34022000	3/4x22	5	50
B4098GB01028000	1x28	5	30
B4098GB14028000	1.1/4x28	5	25
B4098GB14035000	1.1/4x35	1	20

4096

Union elbow 90°
Winkelverschraubung 90°
konischdichtend



Code	Dimensions Abmessungen		
B4096B010010000	10	10	150
B4096B012012000	12	10	150
B4096B014014000	14	10	100
B4096B015015000	15	10	100
B4096B016016000	16	10	100
B4096B018018000	18	10	100
B4096B02022000	22	10	70
B4096B028028000	28		

4096 G

Union elbow 90°
Winkelverschraubung 90°
konischdichtend



Code	Dimensions Abmessungen		
B4096GA38010000	3/8x10	10	100
B4096GA38012000	3/8x12	10	100
B4096GA12012000	1/2x12	10	100
B4096GA12014000	1/2x14	10	80
B4096GA12015000	1/2x15	5	80
B4096GA12016000	1/2x16	10	80
B4096GA12018000	1/2x18	10	100
B4096GA34018000	3/4x18	5	50
B4096GA34022000	3/4x22	10	50
B4096GB01022000	1x22	1	5
B4096GB01028000	1x28	5	40
B4096GB14035000	1.1/4x35	5	20

Bronze endfeed fittings Rotguss-Löfitings

4340 G

Straight coupling F
Rohrverschraubung
konischdichtend



Code	Dimensions Abmessungen		
B4340GA38010000	3/8x10	1	10
B4340GA38012000	3/8x12	1	10
B4340GA38014000	3/8x14	10	150
B4340GA12012000	1/2x12	10	100
B4340GA12014000	1/2x14	10	100
B4340GA12015000	1/2x15	10	100
B4340GA12016000	1/2x16	10	100
B4340GA12018000	1/2x18	10	100
B4340GA12022000	1/2x22	10	50
B4340GA34015000	3/4x15	10	100
B4340GA34016000	3/4x16	10	80
B4340GA34018000	3/4x18	5	50
B4340GA34022000	3/4x22	10	80
B4340GB01022000	1x22	5	50
B4340GB01028000	1x28	5	40
B4340GB14035000	1.1/4x35	5	25
B4340GB12042000	1.1/2x42	5	20
B4340GC02054000	2x54	1	5

4340

Straight joint
Rohrverschraubung
konischdichtend



Code	Dimensions Abmessungen		
B4340B010010000	10	10	250
B4340B012012000	12	10	150
B4340B014014000	14	10	150
B4340B015015000	15	10	150
B4340B016016000	16	10	150
B4340B018018000	18	10	100
B4340B022022000	22	5	80
B4340B028028000	28	5	50
B4340B035035000	35	5	30
B4340B042042000	42	1	15
B4340B054054000	54	1	5

4341 G

Straight joint male
Rohrverschraubung
konischdichtend



Code	Dimensions Abmessungen		
B4341GA38010000	3/8x10	10	200
B4341GA38012000	3/8x12	10	100
B4341GA38015000	3/8x15		
B4341GA12012000	1/2x12	10	100
B4341GA12014000	1/2x14	10	100
B4341GA12015000	1/2x15	10	100
B4341GA12016000	1/2x16	10	100
B4341GA12018000	1/2x18	10	100
B4341GA12022000	1/2x22	10	100
B4341GA34015000	3/4x15	10	80
B4341GA34016000	3/4x16	10	80
B4341GA34018000	3/4x18	5	70
B4341GA34022000	3/4x22	5	70
B4341GA34028000	3/4x28	5	60
B4341GB01022000	1x22	5	40
B4341GB01028000	1x28	5	40
B4341GB14035000	1.1/4x35	5	25
B4341GB12042000	1.1/2x42	1	20
B4341GC02054000	2x54	1	20

4331 G

Union with flat joint M
Rohrverschraubung
flachdichtend



Code	Dimensions Abmessungen		
B4331GA38012000	3/8x12	10	100
B4331GA38015000	3/8x15	10	100
B4331GA12012000	1/2x12	10	100
B4331GA12015000	1/2x15	10	100
B4331GA12018000	1/2x18	10	100
B4331GA34018000	3/4x18	10	60
B4331GA34022000	3/4x22	10	60
B4331GB01028000	1x28	10	40
B4331GB14035000	1.1/4x35	5	25

4330 G

Union with flat joint F
Rohrverschraubung
flachdichtend



Code	Dimensions Abmessungen		
B4330GA38012000	3/8x12	1	1
B4330GA38015000	3/8x15	1	100
B4330GA12012000	1/2x12	10	100
B4330GA12015000	1/2x15	10	100
B4330GA12018000	1/2x18	10	100
B4330GA34018000	3/4x18	10	100
B4330GA34022000	3/4x22		
B4330GB01022000	1x22	5	50
B4330GB01028000	1x28	10	40
B4330GB14035000	1.1/4x35	5	25

4330

Union with flat joint F
Rohrverschraubung
flachdichtend



Code	Dimensions Abmessungen		
B4330B012012000	12	10	100
B4330B015015000	15	10	100
B4330B018018000	18	10	100
B4330B022022000	22	10	80
B4330B028028000	28	10	50
B4330B035035000	35		30



Pcs/Bag
St./Beutel



Pcs/Box
St./Karton

Copper endfeed fittings G-SIZE
Kupfer-Lötfitings G-SIZE

5001 GS

90° bend M/F
Bogen 90° I/A



Code	Dimensions Abmessungen		
RG5001022022000	22	10	300
RG5001028028000	28	10	150
RG5001035035000	35	5	80
RG5001042042000	42	5	50
RG5001054054000	54	1	10

5002 GS

90° bend
Bogen 90°



Code	Dimensions Abmessungen		
RG5002022022000	22	10	300
RG5002028028000	28	10	100
RG5002035035000	35	5	80
RG5002042042000	42	5	50
RG5002054054000	54	1	10

5040 GS

45° street elbow
Bogen 45° I/A



Code	Dimensions Abmessungen		
RG5040022022000	22	10	350
RG5040028028000	28	10	200
RG5040035035000	35	5	100
RG5040042042000	42	5	60
RG5040054054000	54	1	10

5041 GS

45° elbow
Bogen 45°



Code	Dimensions Abmessungen		
RG5041022022000	22	10	350
RG5041028028000	28	10	200
RG5041035035000	35	5	100
RG5041042042000	42	5	60
RG5041054054000	54	1	10

5090 GS

Elbow 90° F
Winkel 90°



Code	Dimensions Abmessungen		
RG5090028028000	28	10	150
RG5090035035000	35	5	90

5092 GS

Street Elbow 90°
Winkel 90° I/A



Code	Dimensions Abmessungen		
RG5092022022000	22	10	300
RG5092028028000	28	10	150
RG5092035035000	35	5	90
RG5092042042000	42	5	50
RG5092054054000	54	1	10

5270 GS

Straight coupling
Muffe



Code	Dimensions Abmessungen		
RG5270022022000	22	10	400
RG5270028028000	28	10	300
RG5270035035000	35	5	150
RG5270042042000	42	5	100
RG5270054054000	54	5	50

5130 GS

Equal Tee
T-Stück



Code	Dimensions Abmessungen		
RG5130022022022	22	10	200
RG5130028028028	28	10	100
RG5130035035035	35	5	70
RG5130042042042	42	5	40
RG5130054054054	54	1	10
RG5130064064064	64	1	5
RG5130028018028	28x18x28	10	100
RG5130028028022	28x28x22	10	100
RG5130028035028	28x35x28	5	30
RG5130035028028	35x28x28	5	80
RG5130035035028	35x35x28	5	70
RG5130035022035	35x22x35	5	80
RG5130042035035	42x35x35	5	40
RG5130042022042	42x22x42	5	60
RG5130042035042	42x35x42	5	40
RG5130042054042	42x54x42	2	8
RG5130042064042	42x64x42	1	5
RG5130054035042	54x35x42	1	10
RG5130064076064	64x76x64	1	8

5243 GS

Fitting reducer
Reduziernippel I/A



Code	Dimensions Abmessungen		
RG5243022014000	22x14	10	300
RG5243022016000	22x16	10	300
RG5243028016000	28x18	10	200
RG5243028022000	28x22	10	200
RG5243035018000	35x18	10	150
RG5243035022000	35x22	10	200
RG5243035028000	35x28	10	150
RG5243042022000	42x22	5	200
RG5243042028000	42x28	5	100
RG5243042035000	42x35	5	120
RG5243054035000	54x35	5	70
RG5243054042000	54x42	5	70

5240 GS

Reducing coupling
Reduziermuffe



Code	Dimensions Abmessungen		
RG5240028022000	28x22	10	200
RG5240035022000	35x22	10	200
RG5240035028000	35x28	10	150
RG5240042022000	42x22	5	200
RG5240042028000	42x28	5	100
RG5240042035000	42x35	5	100
RG5240054035000	54x35	5	70
RG5240054042000	54x42	5	70

Soldering fittings in inches FRIO

ACR 1

Bend M/F
Bogen 1/A



Code	Dimensions Abmessungen		
FR5001A38A38000	3/8	10	
FR5001A12A12000	1/2	10	
FR5001A58A58000	5/8	10	
FR5001A34A34000	3/4	10	
FR5001A78A78000	7/8	10	
FR5001B01B01000	1	5	50
FR5001B18B18000	1.1/8	5	40
FR5001B14B14000	1.1/4	5	
FR5001B38B38000	1.3/8	5	
FR5001B58B58000	1.5/8	5	10
FR5001C18C18000	2.1/8	1	10
FR5001C58C58000	2.5/8	1	
FR5001D18D18000	3.1/8	1	

ACR 2

Bend F
Bogen



Code	Dimensions Abmessungen		
FR5002A38A38000	3/8	10	
FR5002A12A12000	1/2	10	
FR5002A58A58000	5/8	10	100
FR5002A34A34000	3/4	10	100
FR5002A78A78000	7/8	10	80
FR5002B01B01000	1	5	50
FR5002B18B18000	1.1/8	5	40
FR5002B14B14000	1.1/4	5	
FR5002B38B38000	1.3/8	5	50
FR5002B58B58000	1.5/8	5	15
FR5002C18C18000	2.1/8	1	
FR5002C58C58000	2.5/8	1	
FR5002D18D18000	3.1/8	1	

ACR 40

45° Bend M/F
Bogen 45° 1/A



Code	Dimensions Abmessungen		
FR5040A12A12000	1/2	10	
FR5040A58A58000	5/8	10	
FR5040A34A34000	3/4	10	
FR5040A78A78000	7/8	10	
FR5040B01B01000	1	10	
FR5040B18B18000	1.1/8	10	
FR5040B38B38000	1.3/8	5	
FR5040B58B58000	1.5/8	5	
FR5040C18C18000	2.1/8	1	
FR5040C58C58000	2.5/8	1	

ACR 41

45° Bend F
Bogen 45° 1/I



Code	Dimensions Abmessungen		
FR5041A12A12000	1/2	10	
FR5041A58A58000	5/8	10	
FR5041A34A34000	3/4	10	
FR5041A78A78000	7/8	10	
FR5041B01B01000	1	10	
FR5041B18B18000	1.1/8	10	
FR5041B14B14000	1.1/4	5	
FR5041B38B38000	1.3/8	5	
FR5041B58B58000	1.5/8	5	
FR5041C18C18000	2.1/8	1	
FR5041C58C58000	2.5/8	1	

ACR 270

Female coupling
Muffe



Code	Dimensions Abmessungen		
FR5270A38A38000	3/8	10	
FR5270A12A12000	1/2	10	
FR5270A58A58000	5/8	10	
FR5270A34A34000	3/4	10	180
FR5270A78A78000	7/8	10	150
FR5270B01B01000	1	5	120
FR5270B18B18000	1.1/8	5	80
FR5270B14B14000	1.1/4	5	
FR5270B38B38000	1.3/8	5	50
FR5270B58B58000	1.5/8	5	30
FR5270C18C18000	2.1/8	1	
FR5270C58C58000	2.5/8	1	
FR5270D18D18000	3.1/8	1	

ACR 243

Fitting reducer
Reduziernippel 1/A



Code	Dimensions Abmessungen		
FR5243A12A38000	1/2x3/8	10	
FR5243A58A38000	5/8x3/8	10	
FR5243A34A12000	3/4x1/2	10	
FR5243A34A38000	3/4x3/8	10	
FR5243A34A58000	3/4x5/8	10	
FR5243A78A58000	7/8x5/8	10	
FR5243A78A34000	7/8x3/4	10	200
FR5243B01A34000	1x3/4	5	120
FR5243A78B01000	1x7/8	5	100
FR5243B18A34000	1.1/8x3/4	5	
FR5243B18A78000	1.1/8x7/8	5	100
FR5243B38A18000	1.3/8x1/8	5	
FR5243B38B18000	1.3/8x1.1/8	5	120
FR5243B58B18000	1.5/8x1.1/8	5	
FR5243B58B38000	1.5/8x1.3/8	5	40
FR5243C18B18000	2.1/8x1.1/8	1	
FR5243C18B58000	2.1/8x1.5/8	5	
FR5243C58C18000	2.5/8x2.1/8	5	
FR5243E18D58000	4.1/8x3.5/8	1	

ACR 240

Reducing coupling
Reduziermuffe



Code	Dimensions Abmessungen		
FR5240A12A38000	1/2x3/8	10	
FR5240A58A12000	5/8x1/2	10	
FR5240A34A12000	3/4x1/2	10	
FR5240A34A58000	3/4x5/8	10	

ACR 130


Equal Tee
T-Stück



Code	Dimensions Abmessungen		
FR5130A14A14A14	1/4	10	800
FR5130A38A38A38	3/8	10	400
FR5130A12A12A12	1/2	10	
FR5130A58A58A58	5/8	10	
FR5130A34A34A34	3/4	10	100
FR5130A78A78A78	7/8	10	70
FR5130B01B01B01	1	5	50
FR5130B18B18B18	1.1/8	5	30
FR5130B14B14B14	1.1/4	5	
FR5130B38B38B38	1.3/8	5	20
FR5130B58B58B58	1.5/8	5	10
FR5130C18C18C18	2.1/8	1	10
FR5130C58C58C58	2.5/8	1	

Please read as follows:
Bitte lesen Sie wie folgt:

Example: FR5130B58B38B38



Reducing Tee • T-Stück reduziert

Code	Dimensions Abmessungen		
FR5130B58B38B38	1.5/8x1.3/8x1.3/8	5	
FR5130C18B58B58	1.5/8x1.5/8x2.1/8	5	
FR5130C58C18C18	2.1/8x2.1/8x2.5/8	1	

ACR 301

Stop end
Kappe



Code	Dimensions Abmessungen		
FR5301A38000000	3/8	10	
FR5301A12000000	1/2	10	
FR5301A58000000	5/8	10	
FR5301A34000000	3/4	10	
FR5301A78000000	7/8	10	
FR5301B01000000	1	5	50
FR5301B18000000	1.1/8	5	
FR5301B38000000	1.3/8	5	
FR5301B58000000	1.5/8	5	

OTHER SIZES ON DEMAND!

SERIE 3000



Bronze threaded fittings Rotguss Gewindefittings

3090

Elbow 90° F/F
Winkel 90° I/I



Code	Dimensions Abmessungen		
RB3090A38A38000	3/8	1	50
RB3090A12A12000	1/2	10	100
RB3090A34A34000	3/4	5	50
RB3090B01B01000	1	5	40
RB3090B14B14000	1.1/4	5	25
RB3090B12B12000	1.1/2	5	20
RB3090C02C02000	2	1	10

3092

Elbow 90° M/F
Winkel 90° I/A



Code	Dimensions Abmessungen		
RB3092A14A14000	1/4	1	1
RB3092A38A38000	3/8	1	1
RB3092A12A12000	1/2	10	100
RB3092A34A34000	3/4	5	70
RB3092B01B01000	1	5	40
RB3092B14B14000	1.1/4	1	5
RB3092B12B12000	1.1/2	5	20
RB3092C02C02000	2	1	10

3270

Coupling F/F
Muffe I/I



Code	Dimensions Abmessungen		
RB3270A38A38000	3/8	10	250
RB3270A12A12000	1/2	10	150
RB3270A34A34000	3/4	10	100
RB3270B01B01000	1	5	50
RB3270B14B14000	1.1/4	5	40
RB3270B12B12000	1.1/2	5	30
RB3270C02C02000	2	5	20

3130

Tee F/F
T-Stück



Code	Dimensions Abmessungen		
RB3130A14A14A14	1/4	1	1
RB3130A38A38A38	3/8	1	40
RB3130A12A12A12	1/2	10	80
RB3130A34A34A34	3/4	5	40
RB3130B01B01B01	1	5	25
RB3130B14B14B14	1.1/4	1	20
RB3130B12B12B12	1.1/2	1	10
RB3130C02C02C02	2	1	8

3301

Stop end
Kappe



Code	Dimensions Abmessungen		
RB3301A12000000	1/2	1	80
RB3301A34000000	3/4	10	80
RB3301B01000000	1	1	80
RB3301B14000000	1.1/4	5	80
RB3301B12000000	1.1/2	1	80
RB3301C02000000	2	1	80

3240

Reducing coupling F/F
Muffe reduziert I/I



Code	Dimensions Abmessungen		
RB3240A38A14000	3/8x1/4	10	300
RB3240A12A14000	1/2x1/4	1	5
RB3240A12A38000	1/2x3/8	10	250
RB3240A34A38000	3/4x3/8	10	150
RB3240A34A12000	3/4x1/2	10	150
RB3240B01A12000	1x1/2	10	100
RB3240B01A34000	1x3/4	10	100
RB3240B14A34000	1.1/4x3/4	5	40
RB3240B14B01000	1.1/4x1	5	50
RB3240B12A34000	1.1/2x3/4	1	250
RB3240B12B01000	1.1/2x1	1	250
RB3240B12B14000	1.1/2x1.1/4	5	40
RB3240C02B14000	2x1.1/4	1	100
RB3240C02B12000	2x1.1/2	1	100
RB3240C12C02000	2.1/2x2	1	100

3242

Reducing coupling F/M
Muffe reduziert I/A



Code	Dimensions Abmessungen		
RB3242A38A14000	3/8x1/4		
RB3242A12A38000	1/2x3/8	10	250
RB3242A34A38000	3/4x3/8		
RB3242A34A12000	3/4x1/2	10	150
RB3242B01A12000	1x1/2		
RB3242B01A34000	1x3/4	10	100
RB3242B14B01000	1.1/4x1		

3245

Reducing nipple
Reduziernippel



Code	Dimensions Abmessungen		
RB3245A12A38000	1/2x3/8	10	300
RB3245A34A12000	3/4x1/2	10	150
RB3245B01A12000	1x1/2	1	40
RB3245B01A34000	1x3/4	10	100
RB3245B14A34000	1.1/4x3/4	1	40
RB3245B14B01000	1.1/4x1	5	40
RB3245B12B01000	1.1/2x1	5	40
RB3245B12B14000	1.1/2x1.1/4	5	40
RB3245C02B12000	2x1.1/2	1	1

3290

Male cap
Stopfen



Code	Dimensions Abmessungen		
RB3290A14A14000	1/4	10	400
RB3290A38A38000	3/8	10	200
RB3290A12A12000	1/2	10	250
RB3290A34A34000	3/4	10	50
RB3290B01B01000	1	10	30
RB3290B14B14000	1.1/4	5	10
RB3290B12B12000	1.1/2	1	400
RB3290C02C02000	2	1	10

3098

Union elbow M/F
Winkel Verschraubung I/A



Code	Dimensions Abmessungen		
RB3098A14A14000	1/4*	1	1
RB3098A38A38000	3/8	1	1
RB3098A12A12000	1/2	10	80
RB3098A34A34000	3/4	1	70
RB3098B01B01000	1	1	70
RB3098B14B14000	1.1/4	1	1

* Until available in stock
* Bis zum Ausverkauf des Lagerbestandes



Pcs/Bag
St./Beutel



Pcs/Box
St./Karton

Bronze threaded fittings Rotguss Gewindefittings

3241

Fitting reducer
Reduzierstück M/F



Code	Dimensions Abmessungen		
RB3241A38A14000	3/8x1/4	1	200
RB3241A12A14000	1/2x1/4	10	400
RB3241A12A38000	1/2x3/8	10	400
RB3241A34A38000	3/4x3/8	10	200
RB3241A34A12000	3/4x1/2	10	200
RB3241B01A12000	1x1/2	10	150
RB3241B01A34000	1x3/4	10	150
RB3241B14A34000	1.1/4x3/4	5	70
RB3241B14B01000	1.1/4x1	5	60
RB3241B12A34000	1.1/2x3/4	5	50
RB3241B12B01000	1.1/2x1	5	50
RB3241B12B14000	1.1/2x1.1/4	5	70
RB3241C02B14000	2x1.1/4	5	30
RB3241C02B12000	2x1.1/2	5	100
RB3241C12C02000	2.1/2x2	1	100

3530

Long nipple M/M
Longnippel A/A



Code	Dimensions Abmessungen		
RB3530A12040000	1/2x40	10	200
RB3530A12060000	1/2x60	10	150
RB3530A12080000	1/2x80	5	100
RB3530A12100000	1/2x100	5	80
RB3530A12120000	1/2x120	5	80
RB3530A12140000	1/2x140	5	60
RB3530A12150000	1/2x150	5	60
RB3530A12160000	1/2x160	5	50
RB3530A12180000	1/2x180	5	40
RB3530A12200000	1/2x200	5	40
RB3530A34040000	3/4x40	10	100
RB3530A34060000	3/4x60	10	100
RB3530A34080000	3/4x80	5	70
RB3530A34100000	3/4x100	5	50
RB3530A34120000	3/4x120	5	50
RB3530A34140000	3/4x140	5	50
RB3530A34150000	3/4x150	5	40
RB3530A34160000	3/4x160	5	40
RB3530A34180000	3/4x180	5	40
RB3530A34200000	3/4x200	5	30
RB3530B01040000	1x40	1	40
RB3530B01060000	1x60	1	50
RB3530B01080000	1x80	5	50
RB3530B01100000	1x100	5	40
RB3530B01120000	1x120	5	30
RB3530B01150000	1x150	5	20
RB3530B01200000	1x200	5	20
RB3530B14060000	1.1/4x60	5	50
RB3530B14080000	1.1/4x80	5	40
RB3530B14100000	1.1/4x100	5	30
RB3530B14120000	1.1/4x120	1	10
RB3530B14150000	1.1/4x150	1	10
RB3530B14200000	1.1/4x200	1	10
RB3530B12060000	1.1/2x60	5	40
RB3530B12080000	1.1/2x80	5	30
RB3530B12100000	1.1/2x100	5	20
RB3530B12120000	1.1/2x120	5	20
RB3530B12150000	1.1/2x150	1	15

3525

Extension M/F
Verlängerung I/A



Code	Dimensions Abmessungen		
RB3525A38015000	3/8x15	5	40
RB3525A38020000	3/8x20	5	40
RB3525A38025000	3/8x25	5	40
RB3525A38030000	3/8x30	5	40
RB3525A38040000	3/8x40	5	40
RB3525A38050000	3/8x50	5	40
RB3525A12010000	1/2x10	10	150
RB3525A12015000	1/2x15	10	150
RB3525A12020000	1/2x20	10	150
RB3525A12025000	1/2x25	10	150
RB3525A12030000	1/2x30	10	100
RB3525A12040000	1/2x40	10	100
RB3525A12050000	1/2x50	5	50
RB3525A34010000	3/4x10	10	100
RB3525A34015000	3/4x15	10	100
RB3525A34020000	3/4x20	10	100
RB3525A34025000	3/4x25	10	100
RB3525A34040000	3/4x40	5	50
RB3525A34050000	3/4x50	5	40
RB3525B01025000	1x25	5	50
RB3525B01030000	1x30	5	50
RB3525B01040000	1x40	5	40
RB3525B01050000	1x50	5	40

Other sizes on demand
Weitere Abmessungen auf Anfrage

3280

Nipple
Doppelnippel



Code	Dimensions Abmessungen		
RB3280A14A14000	1/4	1	10
RB3280A38A38000	3/8	10	500
RB3280A12A12000	1/2	10	250
RB3280A34A34000	3/4	10	200
RB3280B01B01000	1	10	100
RB3280B14B14000	1.1/4	5	50
RB3280B12B12000	1.1/2	5	40
RB3280C02C02000	2	5	25
RB3280C12C12000	2.1/2		
RB3280D03D03000	3		

3531

Screw
Gewinde Rohrnickel





Code	Dimensions Abmessungen		
RB3531A12000000	1/2		
RB3531A34000000	3/4		
RB3531B01000000	1		
RB3531B14000000	1.1/4		
RB3531B12000000	1.1/2		
RB3531C02000000	2		

Bronze threaded fittings - Straight union
Rotguss Gewindefittings - Flachdichtend

3330

Union with flat joint F thread
 Rohrverschraubung 1/1
 flachdichtend





Code	Dimensions Abmessungen		
RB3330A14A14000	1/4		
RB3330A38A38000	3/8	5	80
RB3330A12A12000	1/2	1	80
RB3330A34A34000	3/4	5	80
RB3330B01B01000	1	5	80
RB3330B14B14000	1.1/4	5	80
RB3330B12B12000	1.1/2	5	80
RB3330C02C02000	2	5	80

3340

Straight joint F/F
 Rohrverschraubung dreiteilig
 1/1





Code	Dimensions Abmessungen		
RB3340A14A14000	1/4		
RB3340A38A38000	3/8		
RB3340A12A12000	1/2	1	1
RB3340A34A34000	3/4	1	80
RB3340B01B01000	1	5	80
RB3340B14B14000	1.1/4	1	80
RB3340B12B12000	1.1/2	1	1
RB3340C02C02000	2	1	1

3331

Union with flat joint M
 Rohrverschraubung dreiteilig
 1/A flachdichtend





Code	Dimensions Abmessungen		
RB3331A38A38000	3/8		
RB3331A12A12000	1/2		
RB3331A34A34000	3/4		
RB3331B01B01000	1		
RB3331B14B14000	1.1/4		
RB3331B12B12000	1.1/2		
RB3331C02C02000	2		

3341

Straight joint male/female
 Rohrverschraubung
 konischdichtend



Code	Dimensions Abmessungen		
RB3341A12A12000	1/2	10	100
RB3341A34A34000	3/4	5	50
RB3341B01B01000	1	5	30
RB3341B14B14000	1.1/4	5	25
RB3341B12B12000	1.1/2	1	40
RB3341C02C02000	2	1	10